TECHNOLOGY DEPT. TECHNOLOGY DEPT.

ISSUED EVERY MONDAY AT 450 W. FORT ST., DETROIT 26, MICHIGAN. ESTABLISHED 1926.

AIR CONDITIONING & REFRIGERATION News
THE NEWSPAPER OF THE INDUSTRY

Vol. 60, No. 14, Serial No. 1115 | July 31, 1950 | In Two Parts, Part Two. Price: 50¢

Reentered as second-class matter October 3, 1936 at the post office at Detroit, Michigan, under the Act of March 3, 1879.
Trade Mark Registered U. S. Patent Office. Copyright, 1950, by Business News Publishing Co.

1950 SPECIFICATIONS

Comparative Data on 199 Models of Household Electric Refrigerators Offered by 30 Companies

Trade Name	*Company*	*Page*
Admiral	Admiral Corp.	2
Coolerator	The Coolerator Co.	3
Crosley Shelvador	Crosley Div., Avco Mfg. Corp.	4
Frigidaire	Frigidaire Div., General Motors Corp.	5
General Electric	General Electric Co.	6
Gibson	Gibson Refrigerator Co.	7
Hotpoint	Hotpoint, Inc.	8
International-Harvester	International Harvester Co.	9
Kelvinator	Kelvinator Div., Nash-Kelvinator Corp.	10
Leonard	Leonard Div., Nash-Kelvinator Corp.	11
Norge	Norge Div., Borg-Warner Corp.	12
Westinghouse	Westinghouse Electric Corp.	13

The above specifications are Copyright, 1950, by the Household Refrigerator Section, National Electrical Manufacturers Association, 155 East 44th St., New York, N. Y. Reprinted by special permission.

Acme	Acme-National Refrigeration Co.	21
Amana	Amana Refrigeration, Inc.	18
Coldspot	Sears Roebuck & Co.	20
Copeland	Copeland Refrigeration Corp.	15
Deepfreeze	Deepfreeze Appliance Div., Motor Products Corp.	15
Firestone	Firestone Tire & Rubber Co.	22
General	General Air Conditioning Corp.	22
Kalamazoo	Kalamazoo Stove & Furnace Co.	16
Koldverter	Travis Mfg. Co.	15
L & H Lectro-Host	A. J. Lindemann & Hoverson Co.	18
Marquette	Marquette Appliances, Inc.	16
Marvel	Marvel Industries, Inc.	21
Montgomery Ward	Montgomery Ward & Co.	23
Philco	Philco Corp.	14
Presteline	Leeson Steel Products, Inc.	21
Ranney	Ranney Refrigerator Corp.	19
Universal	Artkraft Mfg. Co.	19
Wizard	Western Auto Supply	23
Nema Method of Computing Volume and Shelf Area		17

Note: Specifications data for the companies listed immediately above were collected by questionnaire prepared and distributed by Air Conditioning & Refrigeration News. Companies were requested to use the Nema Standard Method of Computing Food-Storage Volume and Shelf Area.

ADMIRAL

Name of Manufacturer	Admiral Corporation, Chicago, Illinois									
Manufacturer's Model Designation	710	750	760	960	970	1090	1160	1170	1390	1470
Total Storage Volume, Net Cubic Feet (NEMA RATING)	7.0	7.0	7.0	9.1	9.1	10.6	11.1	11.1	13.5	14.1
Net Shelf Area, Square Feet (NEMA RATING)	13.9	13.2	13.9	17.4	17.4	19.8	20.1	20.1	24.7	23.4
CABINET										
Number of Exterior Doors	1	1	1	1	1	1	1	1	1	1
Exterior Finish	Baked Enamel									
Interior Finish										
Food Compartment	Vitreous Porcelain Enamel									
Freezing Compartment	Anodized Aluminum									
Door	Synthetic Enamel					Synthetic Enamel & Plastic	Synthetic Enamel	Synthetic Enamel	Synthetic Enamel & Plastic	Synthetic Enamel
Over-All Height, Inches	54 9/16	54 9/16	54 9/16	55 1/2	55 1/2	60	60	60	66 3/4	66 3/4
Over-All Width, Inches	24 1/2	24 1/2	24 1/2	28	28	30 3/8	30 3/8	30 3/8	33	33
Over-All Depth, Inches (not including door handle)	28 3/64	28 3/64	28 3/64	28 19/64	28 19/64	28 25/32	28 25/32	28 25/32	28 25/32	28 25/32
FREEZING COMPARTMENT										
Frozen Storage Volume, Cubic Inches (NEMA RATING)	1580	1368	1368	1800	1800	3570	2952	2952	4143	3583
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No	No	No	No	No	Yes	No	No	Yes	No
Type — Horizontal or Vertical	Vertical	Horizontal								
Location — Top, Center, Side or Bottom	Top, Right	Top								
EQUIPMENT										
Material of Shelves	Steel—Zinc-Plate					Aluminum Anodized	Steel—Zinc-Plate		Aluminum Anodized	Steel—Zinc-Plate
Ice Trays, total number	2	1	2	2	2	4	2	2	4	4
Total Weight of Ice (Lbs.)	4	2	4	4	4	8	4	4	8	10
Refrigerated Vegetable Storage (Number)	None	None	(1)	(1)	(2)	(2)	(1)	(2)	(2)	(2)
Total Capacity in Cubic Inches			1290	710	1420	1720	860	1720	1935	1935
Non-Refrigerated Storage, Capacity (Cubic Feet)	None									
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	637	588	588	784	784	None	882	882	None	1029
Removable Shelf in Frost Chest						X			X	
Ice Storage Pan — capacity 10 lbs.						X			X	
COMPRESSOR										
Location	Bottom									
Reciprocating or Rotary	Reciprocating									
Refrigerant Used	F-12									
CONDENSER										
Type	Sheet and Tube									
WEIGHT COMPLETE REFRIGERATOR										
Net Weight (Lbs. Approx.)	187	187	208	229	230	307	287	291	355	340
Shipping Weight (Lbs. Approx.)	247	247	268	290	291	377	352	356	425	410

COOLERATOR

Name of Manufacturer	The Coolerator Company, Duluth, Minnesota				
Manufacturer's Model Designation	RD70	RB75	RD87	RD97	RC96
Total Storage Volume, Net Cubic Feet (NEMA RATING)	7.1	7.5	8.5	9.7	9.7
Net Shelf Area, Square Feet (NEMA RATING)	12.3	13.6	19.1	20.0	20.7
CABINET					
Number of Exterior Doors	1	1	1	1	1
Exterior Finish	Baked Dulux				
Interior Finish					
Food Compartment	Stain and Abrasion Resistant Dulux				
Freezing Compartment	Baked Aluminum Enamel		Anodized Aluminum		
Door	Baked Dulux on Panelyte				
Over-All Height, Inches	57¾	57¾	60⅝	57 9/32	57 9/32
Over-All Width, Inches	24½	24½	31½	28½	28½
Over-All Depth, Inches (not including door handle)	26¾	26¾	26	28⅝	28⅝
FREEZING COMPARTMENT					
Frozen Storage Volume, Cubic Inches (NEMA RATING)	1140	1020	2125	2022	2022
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No				
Type — Horizontal or Vertical	Horizontal	Vertical	Horizontal		
Location — Top, Center, Side or Bottom	Top	Side	Top		
EQUIPMENT					
Material of Shelves	Unichrome Steel				
Ice Trays, total number	2	2	4	4	3
Total Weight of Ice (Lbs.)	3.5	3.5	7.5	7.5	5
Refrigerated Vegetable Storage (Number)	(1)	None	(2)	(1)	(1)
Total Capacity in Cubic Inches	1010		1420	1435	1435
Non-Refrigerated Storage, Capacity (Cubic Feet)	None	None	.86	None	None
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	741	274	None	533	None
Refrigerated Sliding Storage Baskets			X	X	
Adjustable Shelves	X		X	X	X
COMPRESSOR					
Location	Recessed on Back		Bottom	Recessed on Back	
Reciprocating or Rotary	Reciprocating				
Refrigerant Used	Freon 12				
CONDENSER					
Type	Plate	Plate	Finned Tube	Plate	Plate
WEIGHT COMPLETE REFRIGERATOR					
Net Weight (Lbs. Approx.)	234	232	280	272	263
Shipping Weight (Lbs. Approx.)	286	275	326	318	309

CROSLEY SHELVADOR

Name of Manufacturer	Crosley Division, Avco Manufacturing Corporation, Cincinnati, Ohio									
Manufacturer's Model Designation	AMB-7	UMB-7	DMB-7	UB-9	SMB-9	DB-9	CB-9	DMB-11	CB-11	MB-11
Total Storage Volume, Net Cubic Feet (NEMA RATING)	7.0	7.5	7.5	9.8	9.2	9.2	9.2	10.5	10.5	10.5
Net Shelf Area, Square Feet (NEMA RATING)	14.65	14.7	14.6	16.4	19.3	19.3	19.3	19.3	19.3	18.7
CABINET										
Number of Exterior Doors	1	1	1	1	1	1	1	1	1	1
Exterior Finish	Baked Dulux									
Interior Finish										
Food Compartment	Acid Resistant Vitreous Porcelain Enamel									
Freezing Compartment	Electro Tin Plated									
Door	Laminated Molded Plastic (Dulux Finish)									
Over-All Height, Inches	55	55	55	57¾	57¾	57¾	57¾	61¼	61¼	61¼
Over-All Width, Inches	24¼	24¼	24¼	30¾	30¾	30¾	30¾	30¾	30¾	30¾
Over-All Depth, Inches (not including door handle)	24 1/16	25 11/16	25 11/16	25 15/16	25 15/16	25 15/16	25 15/16	25 15/16	25 15/16	25 15/16
FREEZING COMPARTMENT										
Frozen Storage Volume, Cubic Inches (NEMA RATING)	1088	1088	1728	1088	2592	2592	2592	2592	3456	3456
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No				Partially, By Fully Insulated Baffle					
Type — Horizontal or Vertical	Vertical	Vertical	Horizontal	Vertical	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
Location — Top, Center, Side or Bottom	Top									
EQUIPMENT										
Material of Shelves	Steel—Proseal Finish								Steel Chromium Plated	Steel Chromium Plated
Ice Trays, total number	2	2	2	4	2	4	4	4	4	4
Total Weight of Ice (Lbs.)	4	4	4	8	4	8	8	8	8	8
Refrigerated Vegetable Storage (Number)	None	(1)	(1)	(1)	(1)	(1)	(2)	(2)	(2)	(1)
Total Capacity in Cubic Inches		1046	1046	685	502	685	1370	1370	1370	3913
Non-Refrigerated Storage, Capacity (Cubic Feet)	None									
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	380	380	None	380	None				639	639
Completely Recessed Shelves in Door	X	X	X	X	X	X	X	X	X	X
Thermostatically Controlled Butter Safe							X		X	X
COMPRESSOR										
Location	Bottom									
Reciprocating or Rotary	Reciprocating									
Refrigerant Used	Freon 12									
CONDENSER										
Type	Static									
WEIGHT COMPLETE REFRIGERATOR										
Net Weight (Lbs. Approx.)	220	225	235	260	280	280	285	290	292	300
Shipping Weight (Lbs. Approx.)	268	273	283	320	343	343	345	352	352	361

FRIGIDAIRE

Name of Manufacturer	Frigidaire Division, General Motors Corporation, Dayton 1, Ohio										
Manufacturer's Model Designation	AM-43	AM-60	SM-60	SM-76	MM-76	IM-80	DM-90	MM-92	IM-100	DM-107	MM-110
Total Storage, Volume, Net Cubic Feet (NEMA RATING)	4.3	6.0	6.0	7.6	7.6	8.0	9.0	9.2	10.0	10.7	11.0
Net Shelf Area, Square Feet (NEMA RATING)	8.0	11.7	11.7	14.4	14.7	16.0	17.8	17.0	18.5	21.5	20.6
CABINET											
Number of Exterior Doors	1	1	1	1	1	2	1	1	2	1	1
Exterior Finish	Dulux										
Interior Finish											
Food Compartment	Acid-Resisting Porcelain										
Freezing Compartment	Brass Tinned					Steel Galvanized	Brass Tinned		Steel Galvanized	Brass Tinned	
Door	Plastic			Porcelain		Plastic	Porcelain		Plastic	Porcelain	
Over-All Height, Inches	34½	51 13/16	51 13/16	57⅛	57⅛	62 3/16	57⅛	57⅛	65⅞	62 3/16	62 3/16
Over-All Width, Inches	24 7/16	24⅜	24⅜	31⅞	31⅞	33⅜	31⅞	31⅞	34⅜	33⅜	33⅜
Over-All Depth, Inches (not including door handle)	25½	25¾	25¾	26⅜	26⅜	27 9/16	27⅜	27⅜	29 1/16	27 7/16	27 7/16
FREEZING COMPARTMENT											
Frozen Storage Volume, Cubic Inches (NEMA RATING)	788	788	788	952	952	2686	2230	1450	3590	2397	1450
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No	No	No	No	No	Yes	No	No	Yes	No	No
Type — Horizontal or Vertical	Vertical					Horizontal		Vertical	Horizontal		Vertical
Location — Top, Center, Side or Bottom	Right Side					Top	Top	Right Side	Top	Top	Right Side
EQUIPMENT											
Material of Shelves	Wire	Wire	Wire	Wire	Aluminum						
Ice Trays, total number	2	2	2	3	3	3	3	3	4	4	5
Total Weight of Ice (Lbs.)	4	4	4	8	8	6	8	8	8	10	12
Refrigerated Vegetable Storage (Number)	None	None	(1)	(1)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Total Capacity in Cubic Inches			624	624	1248	1574	1546	1546	1896	1574	1574
Non-Refrigerated Storage, Capacity (Cubic Feet)	None										
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	215	215	155	287	540	None	575	540	None	612	540
Basket Drawer						X	X		X	X	
Chill Drawer							X			X	
COMPRESSOR											
Location	Bottom of Cabinet										
Reciprocating or Rotary	Rotary										
Refrigerant Used	F-12										
CONDENSER											
Type	Fin and Tube										
WEIGHT COMPLETE REFRIGERATOR											
Net Weight (Lbs. Approx.)	163	197	205	252	249	346	299	281	400	338	321
Shipping Weight (Lbs. Approx.)	196	226	236	300	305	417	350	332	487	410	392

GENERAL ELECTRIC

Name of Manufacturer.....General Electric Company, Bridgeport, Connecticut

Manufacturer's Model Designation	NB-4G	NC-6G	NF-6G	NB-8G	NC-8G	NF-8G	NJ-8G	NH-8G	NJ-10G	NH-10G	NC-10G	NF-10G
Total Storage Volume, Net Cubic Feet (NEMA RATING)	4.0	6.0	6.0	8.1	8.1	8.1	8.2	8.2	10.0	10.0	10.9	10.9
Net Shelf Area, Square Feet (NEMA RATING)	8.7	11.8	11.8	14.0	14.0	14.5	14.0	14.1	18.4	18.5	17.8	18.6
CABINET												
Number of Exterior Doors	1	1	1	1	1	1	2	2	2	2	1	1
Exterior Finish	Baked Dulux											
Interior Finish												
Food Compartment	Acid Resistant Porcelain											
Freezing Compartment	Stainless Steel						Anodized Aluminum				Stainless Steel	
Door	Porcelain	Laminated Plastic (Baked Dulux Finish)										
Over-All Height, Inches	34½	53	53	59¼	59¼	59¼	63 7/16	63 7/16	67	67	63 15/16	63 15/16
Over-All Width, Inches	23¾	24 1/16	24 1/16	29 11/16	29 11/16	29 11/16	29 11/16	29 11/16	32 11/16	32 11/16	32 11/16	32 11/16
Over-All Depth, Inches (not including door handle)	24 9/16	26	26	26 15/16	26 15/16	26 15/16	27	27	27	27	26 15/16	26 15/16
FREEZING COMPARTMENT												
Frozen Storage Volume, Cubic Inches (NEMA RATING)	449	847	847	1166	1166	1555	2592	2592	3456	3456	1555	1555
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No	No	No	No	No	No	Yes	Yes	Yes	Yes	No	No
Type — Horizontal or Vertical	Vertical						Horizontal				Vertical	
Location — Top, Center, Side or Bottom	Side						Top				Side	
EQUIPMENT												
Material of Shelves	Anodic Zinc Plated Steel				Stainless Steel		Anodized Aluminum				Anodic Zinc Plated Steel	Stainless Steel
Ice Trays, total number	2	2	2	4	4	4	3	3	3	3	4	4
Total Weight of Ice (Lbs.)	4	4	4	8	8	8	6	6	6	6	8	8
Refrigerated Vegetable Storage (Number)	None	None	(1)	(1)	(2)	(2)	(1)	(2)	(2)	(2)	(2)	(2)
Total Capacity in Cubic Inches			1150	1670	1370	1500	1670	1500	1700	1700	1700	1700
Non-Refrigerated Storage, Capacity (Cubic Feet)	None											
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	120	360	360	675	675	825	None	None	None	None	850	850
Freezing Compartment — Closed at Front and Back		X	X	X	X	X	X	X	X	X	X	X
Thermostatically Controlled Butter Conditioner						X		X		X		X
COMPRESSOR												
Location	Bottom											
Reciprocating or Rotary	Reciprocating											
Refrigerant Used	F-12											
CONDENSER												
Type	Fan Cooled Fin Type		Natural Draft Plate Type				Fan Cooled Fin Type				Natural Draft Plate Type	
WEIGHT COMPLETE REFRIGERATOR												
Net Weight (Lbs. Approx.)	170	208	213	270	272	287	330	330	358	358	310	320
Shipping Weight (Lbs. Approx.)	200	238	243	305	307	322	370	370	402	402	354	364

GIBSON

Name of Manufacturer	Gibson Refrigerator Company, Greenville, Michigan							
Manufacturer's Model Designation	B-700A	B-720B	G-800B	G-860B	G-890B	GL-1150	GL-1100B	GL-1130
Total Storage Volume, Net Cubic Feet (NEMA RATING)	7.1	7.1	8.0	8.0	8.0	11.2	11.4	11.4
Net Shelf Area, Square Feet (NEMA RATING)	13.6	11.9	12.7	15.6	15.6	19.9	20.0	20.0
CABINET								
Number of Exterior Doors	1	1	1	1	1	1	1	1
Exterior Finish	Synthetic Enamel							
Interior Finish								
Food Compartment	Porcelain							
Freezing Compartment	Aluminum Synthetic Enamel							
Door	Synthetic Enamel							
Over-All Height, Inches	58⅛	58⅛	62	62	62	62	62	62
Over-All Width, Inches	24½	24½	31	31	31	31	31	31
Over-All Depth, Inches (not including door handle)	27¼	27¼	25 15/16	25 15/16	25 15/16	28	28	28
FREEZING COMPARTMENT								
Frozen Storage Volume, Cubic Inches (NEMA RATING)	1009	1163	1689	1689	1689	2424	1979	1979
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No							
Type — Horizontal or Vertical	Vertical	Horizontal						
Location — Top, Center, Side or Bottom	Top-Side	Top						
EQUIPMENT								
Material of Shelves	Plated Steel							
Ice Trays, total number	2	2	3	3	3	4	3	3
Total Weight of Ice (Lbs.)	4	3.25	5.25	5.25	5.25	7.25	5.25	5.25
Refrigerated Vegetable Storage (Number)	None	(1)	(1)	(1)	(1)	(2)	(1)	(1)
Total Capacity in Cubic Inches		569	530	530	1115	1690	845	845
Non-Refrigerated Storage, Capacity (Cubic Feet)	None				1.3	None		
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	203	1857	1754	1754	1754	2733	1754	1754
Freezing Compartment Closed at Front and Back		X	X	X	X	X	X	X
Freshening Compartment		X	X	X	X	X	X	X
COMPRESSOR								
Location	Bottom of Cabinet							
Reciprocating or Rotary	Reciprocating							
Refrigerant Used	Freon 12							
CONDENSER								
Type	Plate—Natural Draft							
WEIGHT COMPLETE REFRIGERATOR								
Net Weight (Lbs. Approx.)	257	254	301	312	316	363	338	355
Shipping Weight (Lbs. Approx.)	305	302	344	373	372	425	400	417

HOTPOINT

Name of Manufacturer....	Hotpoint, Incorporated, Chicago, Illinois												
Manufacturer's Model Designation	EA4-4	EA6-4	EB6-4	EA8-4	EAS8-4	EB8-4	EC86-4	EF8-4	EG87-4	EF10-4	EG106-4	EA10-4	EC110-4
Total Storage Volume, Net Cubic Feet..... (NEMA RATING)	3.95	6.1	6.1	8.3	8.1	8.2	8.6	8.25	8.7	10.1	10.57	10.8	10.96
Net Shelf Area, Square Feet (NEMA RATING).	8.67	11.95	11.95	14.6	14.2	14.4	17.6	14.1	14.5	18.6	18.7	18.35	22.7
CABINET													
Number of Exterior Doors.	1	1	1	1	1	1	1	2	2	2	2	1	1
Exterior Finish	Baked Enamel												
Interior Finish													
Food Compartment	Stain Resistant Porcelain												
Freezing Compartment ..	Stainless Steel							Aluminum				Stainless Steel	
Door	Porcelain	Plastic					Porcelain	Plastic	Porcelain & Plastic	Plastic	Porcelain & Plastic	Plastic	Porcelain
Over-All Height, Inches....	34½	53 1/32	53 1/32	59 7/32	59 7/32	59 7/32	59 7/32	63 7/16	63 7/16	67 1/32	67 1/32	63 15/16	63 15/16
Over-All Width, Inches.....	23¾	24 1/16	24 1/16	29 11/16	29 11/16	29 11/16	29 11/16	29 11/16	29 11/16	32 11/16	32 11/16	32 11/16	32 11/16
Over-All Depth, Inches..... (not including door handle)	24 9/16	27 9/16	27¼	26 15/16	26 15/16	26 15/16	26 15/16	27 1/16	27 1/16	27 1/16	27 1/16	26 15/16	26 15/16
FREEZING COMPARTMENT													
Frozen Storage Volume, Cubic Inches ..... (NEMA RATING)	442	854	854	1166	1166	1166	1550	2557	2557	3456	3456	1550	1550
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO).....	No	No	No	No	No	No	No	Yes	Yes	Yes	Yes	No	No
Type — Horizontal or Vertical	Vertical							Horizontal				Vertical	
Location — Top, Center, Side or Bottom.....	Top, Side							Top	Top	Top	Top	Top, Side	
EQUIPMENT													
Material of Shelves.....	Plated Steel					Stainless Steel		Aluminum				Plated Steel	Stainless Steel
Ice Trays, total number....	2	2	2	4	4	4	4	3	3	3	3	4	4
Total Weight of Ice (Lbs.).	4	4	4	8	8	8	8	6	6	6	6	8	8
Refrigerated Vegetable Storage (Number).....	None	None	(1)	(1)	(1)	(1)	(2)	(1)	(2)	(2)	(2)	(1)	(2)
Total Capacity in Cubic Inches			1071	674	674	664	1185	1513	1185	1666	1384	845	1384
Non-Refrigerated Storage Capacity (Cubic Feet)...	None												
Meat (Unfrozen) Storage, Capacity (Cubic Inches).	135	204	380	204	645	645	576	328	201	328	201	425	576
Butter Conditioner						X	X		X		X		X
Shelves on Door.....							X		X		X		X
COMPRESSOR													
Location	Below												
Reciprocating or Rotary...	Reciprocating												
Refrigerant Used	Freon 12												
CONDENSER													
Type	Finned Tube	Plate						Finned Tube				Plate	
WEIGHT COMPLETE REFRIGERATOR													
Net Weight (Lbs. Approx.)	166	207	215	268	270	272	280	295	315	353	353	308	327
Shipping Weight (Lbs. Approx.)	184	244	252	308	310	312	320	342	362	392	400	355	374

(Lbs. Approx.)	184	244	252	308	310	312

INTERNATIONAL HARVESTER

Name of Manufacturer	International Harvester Company, Chicago, Illinois					
Manufacturer's Model Designation	U76	H74	U87	H84	U95	H92
Total Storage Volume, Net Cubic Feet (NEMA RATING)	7.6	7.4	8.7	8.4	9.5	9.2
Net Shelf Area, Square Feet (NEMA RATING)	11.6	14.5	14.9	17.2	16.2	18.5
CABINET						
Number of Exterior Doors	1	1	1	1	1	1
Exterior Finish	Baked Enamel					
Interior Finish						
Food Compartment	Porcelain					
Freezing Compartment	Aluminum Synthetic Enamel					
Door	Baked Enamel					
Over-All Height, Inches	54 11/32	54 11/32	59 19/32	59 19/32	59 19/32	59 19/32
Over-All Width, Inches	24 7/8	24 7/8	29 1/2	29 1/2	29 1/2	29 1/2
Over-All Depth, Inches (not including door handle)	27 63/64	27 63/64	28 15/64	28 15/64	28 15/64	28 15/64
FREEZING COMPARTMENT						
Frozen Storage Volume, Cubic Inches (NEMA RATING)	626	1731	1604	2430	1604	2430
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No					
Type — Horizontal or Vertical	Vertical	Horizontal	Vertical	Horizontal	Vertical	Horizontal
Location — Top, Center, Side or Bottom	Side	Top	Side	Top	Side	Top
EQUIPMENT						
Material of Shelves	Plated Steel					Stainless Steel
Ice Trays, total number	2	2	4	4	4	4
Total Weight of Ice (Lbs.)	3	3	6.6	7.4	6.7	7.4
Refrigerated Vegetable Storage (Number)	(1)	(1)	(1)	(2)	(1)	(2)
Total Capacity in Cubic Inches	652	652	838	1060	819	1349
Non-Refrigerated Storage, Capacity (Cubic Feet)	None	.38	None	.9	None	None
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	436	707	282	530	282	530
Bottle Opener	X	X	X	X	X	X
Egg Dispenser			X		X	
COMPRESSOR						
Location	Below—Rear					
Reciprocating or Rotary	Reciprocating					
Refrigerant Used	F-12					
CONDENSER						
Type	Plate—Natural Draft					
WEIGHT COMPLETE REFRIGERATOR						
Net Weight (Lbs. Approx.)	241	249	292	307	292	304
Shipping Weight (Lbs. Approx.)	295	303	351	366	351	365

KELVINATOR

Name of Manufacturer	Kelvinator Division, Nash-Kelvinator Corporation, Detroit, Michigan								
Manufacturer's Model Designation	RC	RB	RE	RK	RL	VM	FM	MM	TM
Total Storage Volume, Net Cubic Feet (NEMA RATING)	6.1	7.0	8.6	8.0	7.9	11.9	10.9	10.9	11.9
Net Shelf Area, Square Feet (NEMA RATING)	11.9	12.2	16.4	15.0	16.7	18.1	18.4	18.4	17.8
CABINET									
Number of Exterior Doors	1	1	1	1	1	1	1	1	2
Exterior Finish	Synthetic Baked Enamel								
Interior Finish									
Food Compartment	Titanium Porcelain Enamel								
Freezing Compartment	Stainless Steel							Stainless Steel & Aluminum	Aluminum
Door	Laminated Molded Plastic								
Over-All Height, Inches	55¼	57	58	58	58	60¼	60¼	60¼	64¼
Over-All Width, Inches	24¼	31⅜	31¼	31¼	31¼	31¼	31¼	31¼	31¼
Over-All Depth, Inches (not including door handle)	25	27	26⅞	26⅞	26⅞	27⅝	27⅝	27⅝	26⅞
FREEZING COMPARTMENT									
Frozen Storage Volume, Cubic Inches (NEMA RATING)	735	1050	1550	1728	2200	1870	2200	2200	3450
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No								Yes
Type — Horizontal or Vertical	Vertical	Vertical	Vertical	Horizontal	Horizontal	Vertical	Horizontal	Horizontal	Horizontal
Location — Top, Center, Side or Bottom	Center	Center	Side	Top	Top	Side	Top	Top	Top
EQUIPMENT									
Material of Shelves	Steel—Zinc Finish		Aluminum					Aluminum & Glass	Aluminum & Glass
Ice Trays, total number	2	3	3	3	3	3	4	4	4
Total Weight of Ice (Lbs.)	4	8	8	8	8	8	8	8	8
Refrigerated Vegetable Storage (Number)	(1)	(1)	(1)	(1)	(2)	(1)	(1)	(1)	(1)
Total Capacity in Cubic Inches	1195	750	693	683	1266	2300	2300	2300	2300
Non-Refrigerated Storage, Capacity (Cubic Feet)	None								
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	140	375	490	None	350	490	350	350	350
Door Opening Trim and Interior Features of Polystyrene	X		X	X	X	X	X	X	X
Full-Width Refrigerated Drawer in Cabinet Base						X	X	X	X
COMPRESSOR									
Location	Bottom—Rear								
Reciprocating or Rotary	Reciprocating								
Refrigerant Used	Freon 12								
CONDENSER									
Type	Finned Type Natural Draft			Stack Type—Natural Draft					
WEIGHT COMPLETE REFRIGERATOR									
Net Weight (Lbs. Approx.)	206	251	251	257	271	299	306	332	358
Shipping Weight (Lbs. Approx.)	246	305	310	316	325	352	357	396	420

LEONARD

Name of Manufacturer	Leonard Division, Nash-Kelvinator Corporation, Detroit, Michigan								
Manufacturer's Model Designation	LRC	LRB	LRE	LRK	LRL	LVM	LFM	LMM	LTM
Total Storage Volume, Net Cubic Feet (NEMA RATING)	6.1	7.0	8.6	8.0	7.9	11.9	10.9	10.9	11.9
Net Shelf Area, Square Feet (NEMA RATING)	11.9	12.2	16.4	15.0	16.7	18.1	18.4	18.4	17.8
CABINET									
Number of Exterior Doors	1	1	1	1	1	1	1	1	2
Exterior Finish	Synthetic Baked Enamel								
Interior Finish									
Food Compartment	Titanium Porcelain Enamel								
Freezing Compartment	Stainless Steel							Stainless Steel & Aluminum	Aluminum
Door	Laminated Molded Plastic								
Over-All Height, Inches	55¼	57	58	58	58	60¼	60¼	60¼	64¼
Over-All Width, Inches	24¼	31⅜	31¼	31¼	31¼	31¼	31¼	31¼	31¼
Over-All Depth, Inches (not including door handle)	25	27	26⅞	26⅞	26⅞	27⅝	27⅝	27⅝	26⅞
FREEZING COMPARTMENT									
Frozen Storage Volume, Cubic Inches (NEMA RATING)	735	1050	1550	1728	2200	1870	2200	2200	3450
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No								Yes
Type — Horizontal or Vertical	Vertical	Vertical	Vertical	Horizontal	Horizontal	Vertical	Horizontal	Horizontal	Horizontal
Location — Top, Center, Side or Bottom	Center	Center	Side	Top	Top	Side	Top	Top	Top
EQUIPMENT									
Material of Shelves	Steel—Zinc Finish		Aluminum					Aluminum and Glass	Aluminum and Glass
Ice Trays, total number	2	3	3	3	3	3	4	4	4
Total Weight of Ice (Lbs.)	4	8	8	8	8	8	8	8	8
Refrigerated Vegetable Storage (Number)	(1)	(1)	(1)	(1)	(2)	(1)	(1)	(1)	(1)
Total Capacity in Cubic Inches	1195	750	693	683	1266	2300	2300	2300	2300
Non-Refrigerated Storage, Capacity (Cubic Feet)	None								
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	140	375	490	None	350	490	350	350	350
Door Opening Trim and Interior Features of Polystyrene	X		X	X	X	X	X	X	X
Full-Width Refrigerated Drawer in Cabinet Base						X	X	X	X
COMPRESSOR									
Location	Bottom—Rear								
Reciprocating or Rotary	Reciprocating								
Refrigerant Used	Freon 12								
CONDENSER									
Type	Finned Type Natural Draft		Stack Type—Natural Draft						
WEIGHT COMPLETE REFRIGERATOR									
Net Weight (Lbs. Approx.)	206	251	251	257	271	299	306	332	358
Shipping Weight (Lbs. Approx.)	246	305	310	316	325	352	357	396	420

NORGE

Name of Manufacturer	Norge Division, Borg-Warner Corporation, Detroit, Michigan								
Manufacturer's Model Designation	S-65	SD-65	SF-85	S-85	SD-85	SDF-85	SF-105	SDF-105	S-105
Total Storage Volume, Net Cubic Feet (NEMA RATING)	6.1	6.1	8.1	8.2	8.3	8.2	10.1	10.2	10.4
Net Shelf Area, Square Feet (NEMA RATING)	10.9	11.4	15.8	14.2	14.2	16.2	18.6	19.3	16.6
CABINET									
Number of Exterior Doors	1	1	1	1	1	1	1	1	1
Exterior Finish	Synthetic Enamel								
Interior Finish									
Food Compartment	Porcelain								
Freezing Compartment	Stainless Steel								
Door	Plastic Laminate								
Over-All Height, Inches	54 7/8	54 7/8	58 9/16	58 9/16	58 9/16	58 9/16	61 11/16	61 11/16	61 11/16
Over-All Width, Inches	23 7/8	23 7/8	29 3/4	29 3/4	29 3/4	29 3/4	33 3/4	33 3/4	33 3/4
Over-All Depth, Inches (not including door handle)	24 1/4	24 1/4	24 7/16	24 7/16	24 7/16	24 7/16	24 7/8	24 7/8	24 7/8
FREEZING COMPARTMENT									
Frozen Storage Volume, Cubic Inches (NEMA RATING)	845	845	1584	1368	1650	1745	2160	1915	1650
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No								
Type — Horizontal or Vertical	Vertical	Vertical	Horizontal	Vertical	Vertical	Vertical	Horizontal	Vertical	Vertical
Location — Top, Center, Side or Bottom	Side	Side	Top	Side	Side	Side	Top	Side	Side
EQUIPMENT									
Material of Shelves	Steel—Anozinc Proseal Finish					Steel—Chromium Finish	Steel—Anozinc Proseal Finish	Steel—Chromium Plated	Steel—Anozinc Proseal Finish
Ice Trays, total number	2	2	4	4	4	4	4	4	4
Total Weight of Ice (Lbs.)	4	4	8	8	8	8	8	8	8
Refrigerated Vegetable Storage (Number)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)
Total Capacity in Cubic Inches	675	1360	872	872	1890	1890	2222	2222	872
Non-Refrigerated Storage, Capacity (Cubic Feet)	None	None	.68	.68	.68	.68	.76	.76	.76
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	322	322	525	872	872	467	525	467	872
Automatic Self-D-Froster		X			X	X		X	
Rollator Compressor	X	X	X	X	X	X	X	X	X
COMPRESSOR									
Location	Bottom								
Reciprocating or Rotary	Rotary								
Refrigerant Used	Freon								
CONDENSER									
Type	Fin								
WEIGHT COMPLETE REFRIGERATOR									
Net Weight (Lbs. Approx.)	192	192	258	258	258	259	308	300	300
Shipping Weight (Lbs. Approx.)	226	226	306	306	306	307	375	367	367

WESTINGHOUSE

Name of Manufacturer	Westinghouse Electric Corporation, Mansfield, Ohio							
Manufacturer's Model Designation	HA-6	SA-6	SA-7	DA-7	SA-9	AA-84	DA-84	ADA-96
Total Storage Volume, Net Cubic Feet (NEMA RATING)	6.1	6.1	7.0	7.0	9.0	8.4	8.4	9.6
Net Shelf Area, Square Feet (NEMA RATING)	12.2	12.2	12.6	12.6	17.0	17.8	17.8	16.3
CABINET								
Number of Exterior Doors	1	1	1	1	1	1	1	1
Exterior Finish	Dulux							
Interior Finish								
Food Compartment	Porcelain							
Freezing Compartment	Copper Special Alloy							
Door	Laminated Plastic (Baked Enamel Finish)							
Over-All Height, Inches	53½	53½	54⅝	54⅝	61	61	61 3/16	64 15/16
Over-All Width, Inches	24	24	28¾	28¾	30¼	30¼	30¼	32¼
Over-All Depth, Inches (not including door handle)	26⅝	26⅝	25 9/16	25 9/16	25⅝	25⅝	25⅝	27 3/16
FREEZING COMPARTMENT								
Frozen Storage Volume, Cubic Inches (NEMA RATING)	795	795	1071	1054	1780	2955	2955	2022
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No							
Type — Horizontal or Vertical	Vertical					Horizontal		
Location — Top, Center, Side or Bottom	Side					Top		
EQUIPMENT								
Material of Shelves	Triple Plated, Chromium Finished Steel							
Ice Trays, total number	2	2	3	3	3	3	3	3
Total Weight of Ice (Lbs.)	4	4	8	8	8	8	8	8
Refrigerated Vegetable Storage (Number)	None	(1)	(1)	(1)	(1)	(1)	(2)	(2)
Total Capacity in Cubic Inches		591	591	594	591	566	1132	1534
Non-Refrigerated Storage, Capacity (Cubic Feet)	None							
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	209	209	406	414	452	549	457	457
Fully Automatic Defrost System								X
Butter Keeper				X			X	X
COMPRESSOR								
Location	Bottom Mounted							
Reciprocating or Rotary	Vertical Reciprocating							
Refrigerant Used	Freon 12							
CONDENSER								
Type	Plate							
WEIGHT COMPLETE REFRIGERATOR								
Net Weight (Lbs. Approx.)	220	220	255	255	300	300	300	385
Shipping Weight (Lbs. Approx.)	265	265	300	300	345	345	345	450

PHILCO

Name of Manufacturer	Philco Corp., Philadelphia, Pa.												
Manufacturer's Model Designation	E702 E702 L	E703 E703 L	E704 E704 L	E903	E904	E905	E906	E1102	E1103	E1104	E1107	E1403*	E1404*
Total Storage Volume, Net Cubic Feet (NEMA RATING)	7.2	7.2	7.2	9.2	9.2	9.0	9.6	11.2	11.2	11.0	11.5	14.4	14.4
Net Shelf Area, Square Feet (NEMA RATING)	12.2	13.6	13.6	15.5	17.5	19.0	15.5	17.7	18.0	18.2	19.5	27.2	27.2
CABINET													
Number of Exterior Doors	1	1	1	1	1	1	1	1	1	1	1	2	2
Exterior Finish	Dulux												
Interior Finish													
Food Compartment	Porcelain Enamel on Steel												
Freezing Compartment	Galvanized Steel with Aluminum Lacquer												
Door	Dulux												
Over-All Height, Inches	57⅛	57⅛	57⅛	59⅜	59⅜	59⅜	59⅜	61¾	61¾	61¾	61¾	57⅜	57⅜
Over-All Width, Inches	25	25	25	30	30	30	30	30	30	30	30	50⅞	50⅞
Over-All Depth, Inches (not including door handle)	26	26	26	26¾	26¾	26¾	26¾	26⅞	26⅞	26⅞	26⅞	26	26
FREEZING COMPARTMENT													
Frozen Storage Volume, Cubic Inches (NEMA RATING)	1435.6	1292.5	1292.5	1856.5	1856.5	2189.2	2189.2	1856.5	2189.2	3515.7	2189.2	2585.0	2585.0
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No												
Type—Horizontal or Vertical	Horizontal												
Location—Top, Center Side, or Bottom	Top												
EQUIPMENT													
Material of Shelves	Tinned Steel Wire	Chromed Steel Wire										Tinned Steel Wire	
Ice Trays, total number	2	3	4	3	4	4	4	4	4	4	4	6	8
Total Weight of Ice (Lbs.)	3	5⅔	7½	4¾	7½	7½	7½	7½	7½	7½	7½	11⅓	15
Refrigerated Vegetable Storage (Number)	0	1	1	1	1	1	1	1	1	1	1	2	2
Total Capacity in Cubic Inches	....	600	1050	600	1950	1950	1900	1250	1250	1250	1250	1200	2100
Non-Refrigerated Storage, Capacity (Cu. Ft.)													
Meat (Unfrozen) Storage Capacity (Cu. In.)	Yes												
Butter Storage													
Shelves In Door													
Automatic Defrosting													
COMPRESSOR													
Location	Base												
Reciprocating or Rotary	Reciprocating												
Refrigerant Used	"Freon-12"												
CONDENSER													
Type	Plate												
WEIGHT, COMPLETE REFRIGERATOR													
Net Weight (Lbs. Approx.)	230	246	249	293	306	308	320	336	338	338	355	....	....
Shipping Weight (Lbs. Approx.)	271	287	290	335	348	350	358	380	393	393	403	....	....

*Two-in-one refrigerators assembled from two 703's or two 704's with right hand and left hand doors and a special conversion kit.

	DEEPFREEZE					COPELAND		KOLDVERTER	
Name of Manufacturer	Deepfreeze Appliance Div., Motor Products Corp., North Chicago, Ill.					Copeland Refrigeration Corp. Sidney, Ohio		Travis Mfg. Co., Romulus, Mich.	
Manufacturer's Model Designation	F-7	F-9	F-11	W-9	W-11	497-CD	469-CD	6	8
Total Storage Volume, Net Cubic Feet (NEMA RATING)	6.97	9.1	11.28	8.51	10.5	7.0	9.0	8	10½
Net Shelf Area, Square Feet (NEMA RATING)	14.65	16.87	21.84	15.33	20.5	12.15	20.0		
CABINET									
Number of Exterior Doors	1	1	1	1	1	1	1	1	1
Exterior Finish	Baked Dulux					Hi-Bake Dulux		Dulux	
Interior Finish								Dulux	
Food Compartment	Porcelain					Porcelain			
Freezing Compartment	Zinc Plated					Aluminum			
Door	Aluminum with White Baked Enamel			Insulated White Polystyrene		Panelyte			
Over-All Height, Inches	55	61¼	65¾	61¼	65¾	54¾	62	53	56
Over-All Width, Inches	24¼	30¾	33½	30¾	33½	29	32	24	28
Over-All Depth, Inches (not including door handle)	24¼	24½	24⅝	24½	24⅝	25	25	22	24
FREEZING COMPARTMENT									
Frozen Storage Volume, Cu. In. (NEMA RATING)	1085	1180	1180	2460	2460			880	1540
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No					No		No	
Type—Horizontal or Vertical	Vertical			Horizontal		Vertical		Horizontal	
Location—Top, Center Side, or Bottom	Center			Top		Top, Center	Top, Side	Top	
EQUIPMENT									
Material of Shelves	Zinc Plated Wire			Chrome Plated Wire		Tinned Steel		Steel, Zinc Plated	
Ice Trays, total number	2	4	4	4	4	4	6	2	2
Total Weight of Ice (Lbs.)	4	8	8	8	8	8	16	4	4
Refrigerated Vegetable Storage (Number)	1	1	1	2	2	2	2		
Total Capacity in Cubic Inches	985	650	650	1656	1656				
Non-Refrigerated Storage, Capacity (Cubic Inches)									
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	378	378	378	650	650				
Butter Storage	No			Yes					
Shelves In Door									
Automatic Defrosting									
COMPRESSOR									
Location	In Lower Portion of Cabinet					Bottom		Bottom	
Reciprocating or Rotary	Reciprocating					Reciprocating			
Refrigerant Used	"Freon-12"					"Freon-12"		"Freon-12"	
CONDENSER									
Type	Static					Static		Static or Fan	
WEIGHT, COMPLETE REFRIGERATOR									
Net Weight (Lbs. Approx.)								180	190
Shipping Weight (Lbs. Approx.)	268	342	394	342	394	298	375	200	210

	MARQUETTE				KALAMAZOO			
Name of Manufacturer	Marquette Appliances, Inc., Minneapolis 14, Minn.				Kalamazoo Stove & Furnace Co., Kalamazoo, Mich.			
Manufacturer's Model Designation	AT8D	AT8C	U85G	U85H	KS-9G	KS-9C	KS-9F	KS-9D
Total Storage Volume, Net Cubic Feet (NEMA RATING)	8.0	8.0	8.5	8.5	8.5	8.5	8.02	8.02
Net Shelf Area, Square Feet (NEMA RATING)	16.0	16.08	11.0	15.4	13.5	15.2	17.5	16.0
CABINET								
Number of Exterior Doors	1	1	1	1	1	1	1	1
Exterior Finish	Baked Dulux over Dulux Prime and Bonderited Steel				du Pont Refrigerator Exterior Finish			
Interior Finish	Special Baked du Pont Organic Dulux				du Pont Refrigerator Interior Finish			
Food Compartment					du Pont Refrigerator Interior Finish			
Freezing Compartment					Aluminum			
Door					du Pont Refrigerator Interior Finish			
Over-All Height, Inches	58	58	58	58	58	58	58	58
Over-All Width, Inches	30¾	30¾	25½	30¾	30¾	30¾	30¾	30¾
Over-All Depth, Inches (not including door handle)	25½	25½	30¾	25½	25½	25½	25½	25½
FREEZING COMPARTMENT								
Frozen Storage Volume, Cubic Inches (NEMA RATING)	1762	1762	1417	1417	1417	1417	2074	2074
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No				No			
Type—Horizontal or Vertical	Horizontal		Vertical		Vertical		Horizontal	
Location—Top, Center Side, or Bottom	Top		Top, Side		Side		Top	
EQUIPMENT								
Material of Shelves	Steel Wire Anodized Zinc Finish				Steel Wire, Anodized Zinc Finish			
Ice Trays, total number	4	2	2	2	2	2	2	4
Total Weight of Ice (Lbs.)	8¼	4⅛	4⅛	4⅛	4	4	4	8⅛
Refrigerated Vegetable Storage (Number)	3	1	Space at Bottom of Liner	1	1	1	1	3
Total Capacity in Cubic Inches	2822.4	1209.6	....	1209.6	960	1311	1311	2841
Non-Refrigerated Storage, Capacity (Cubic Inches)								
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	....	....	469	469	210	210	0	0
Butter Storage								
Shelves In Door								
Automatic Defrosting								
COMPRESSOR								
Location	Bottom Rear				Bottom			
Reciprocating or Rotary	Reciprocating				Reciprocating			
Refrigerant Used	"Freon"				"Freon-12"			
CONDENSER								
Type	Tecumseh Pancake				Static			
WEIGHT, COMPLETE REFRIGERATOR								
Net Weight (Lbs. Approx.)	257	251	245	252	238	246	245	260
Shipping Weight (Lbs. Approx.)	314	308	300	310	287	306	302	310

NEMA Standard Method of Computing Food-Storage Volume and Shelf Area of Automatic Household Refrigerators

1. SCOPE AND PURPOSE

1.1 The purpose of this standard is to provide a uniform method for determining the food-storage volume and shelf area of automatic household refrigerators.

2. INSIDE DIMENSIONS

2.1 Inside Depth shall be the mean distance between the inside door pan and the rear liner.

2.2 Inside Width shall be the distance between the inner surfaces of the side wall of the liner.

2.3 Inside Height shall be the distance between the inner surface of the floor and the ceiling of the cabinet.

2.4 Depth of Cooling Unit Space shall be the depth of the cabinet as defined in 2.1, unless there is a clear space for food storage of 4 in. or greater in front or back of the cooling unit.

In the latter cases, if the food storage space is located in front of the cooling unit, the depth of the cooling unit space shall be taken as the distance from the rear wall of the liner to the foremost part of the cooling unit; if the food storage space is located behind the cooling unit, the depth of the cooling unit space shall be the distance from the inner surface of the door to the rearmost portion of the cooling unit.

2.5 Width of Cooling Unit Space shall be the outside width of the cooling unit itself (neglecting suction headers near the top of the cooling unit) or, if side baffles are used, the over-all width including the baffles. If there is less than a 4-in. space between the unit or baffle and the side wall of the liner, the distance from the nearest liner side wall to the outer surfaces of the cooling unit or baffle (whichever is the greater) shall be the width.

2.6 Height of Cooling Unit Space shall be the distance from the ceiling of the cabinet to the bottom of the drip tray or lower baffle, whichever is the greater.

3. FOOD STORAGE VOLUME DETERMINATION

3.1 Gross Volume shall be the product of the inside depth (2.1), inside width (2.2), and inside height (2.3).

3.2 Volume of the Cooling Unit Space shall be the product of its depth (2.4), width (2.5), and height (2.6).

3.3 Frozen Storage Volume shall be the sum of the volumes of the ice freezing compartments and of the frozen food storage compartments. The volume of these compartments shall be the products of their inside dimensions.

3.4 Volume of Drip Tray Space shall be the product of the inside depth (2.1), width of cooling unit space (2.5), and the height between the inside bottom of the drip tray and the outside bottom of the cooling unit.

(a) The volume of the drip tray space shall be included in the General Storage Volume (3.5) when the distance between the outside bottom of the cooling unit and the inside bottom of the drip tray is 2 in. or more and only when the refrigerator is equipped with a non-automatic defrosting type cooling unit having a removable type drip tray.

3.5 General Storage Volume shall be the gross volume (3.1) minus the volume of the cooling unit space (3.2) plus the volume of the drip tray space provided it meets the requirements of 3.4 **(a)**.

3.6 Total Storage Volume shall be the sum of the General Storage Volume (3.5) and the Frozen Storage Volume (3.3).

4. SHELF AREA DETERMINATION

4.1 Net Shelf Area shall be the sum of the areas of the shelves, bottoms of suspended containers, the bottom of the liner, and the shelf areas in the frozen storage section, as defined in 4.2 to 4.6, inclusive.

4.2 Full Shelves. The area of full shelves and of the bottom of the liner shall be the product of the inside depth (2.1) and the inside width (2.2). The area of any part of the shelves having less than 4 in. clearance above shall not be included in the net shelf area, except as provided in 4.4 and 4.5.

4.3 Recessed Shelves. When any shelf is recessed, the area of the recess shall be deducted. The width and depth of the recess shall be the distance from the edges of the recess to the adjacent interior surfaces, as used in determining the inside depth (2.1) and inside width (2.2).

4.4 Fractional Shelves. In computing the area of fractional shelves, the width and depth of the shelves shall be the distance from the adjacent interior surfaces of the cabinet to the outer edges of the shelves.

Whenever the space occupied by the drip tray is included in the general storage volume, the part of the shelf supporting the drip tray may be considered as food shelf area; otherwise it shall not.

4.5 Low Temperature Shelves. The areas of the shelves and compartment bottoms in the cooling units shall be included in the net shelf area, provided there is a clear space of not less than 2 in. above such shelves and compartment bottoms.

4.6 Suspended Containers. The useful area of the bottom of suspended drip trays or containers shall be included in the net shelf area provided:

(a) The depth of the drip tray or container is not less than 2 in. as measured between the inside bottom of the container and the cover, shelf, or outside bottom of the cooling unit immediately above it.

(b) The vertical space between the outside bottom of the drip tray or container and the shelf immediately below it is not less than 4 in.

5.1 Food storage capacity reports of refrigerators shall include the following:

(a) Total storage volume (in cubic feet).....(See 3.6)

(b) General storage volume [(a) minus (c); in cubic feet] .....(See 3.5)

(c) Frozen storage volume (in cubic feet) .....(See 3.3)

(d) Net shelf area (in square feet) .....(See 4.1)

The volumes as specified in 5.1 **(a)** and **(b)** shall be reported to the nearest 0.1 cubic foot.

The volume as specified in 5.1 **(c)** shall be reported to the nearest cubic inch.

The net shelf area as specified in 5.1 **(d)** shall be reported to the nearest 0.1 square foot.

	L & H LECTRO-HOST						AMANA	
Name of Manufacturer	A. J. Lindemann & Hoverson Co., Milwaukee, Wis.						Amana Refrigeration, Inc., Amana, Iowa	
Manufacturer's Model Designation	7500A	7501A	7502A	9200	9201	9202	FR-9	FR9S
Total Storage Volume, Net Cubic Feet (NEMA RATING)	7.48	7.47	7.10	9.25	9.15	8.45	9.1	9.1
Net Shelf Area, Square Feet (NEMA RATING)	11.85	11.78	15.35	15.58	15.55	17.21	14.4	13.6
CABINET								
Number of Exterior Doors	1	1	1	1	1	1	2	2
Exterior Finish	Dulux						White Dulux	
Interior Finish	Dulux							
Food Compartment	Dulux	Porcelain					White Dulux	Anodized Alum., Blue
Freezing Compartment	Aluminum						Anodized Alum., Natural	
Door	Dulux						White Phenolic Plastic	
Over-All Height, Inches	54¼	54¼	54¼	61¾	61¾	61¾	62¼	62¼
Over-All Width, Inches	29½	29½	29½	32½	32½	32½	32	32
Over-All Depth, Inches (not including door handle)	25¼	25¼	25¼	25½	25½	25½	25⅝	27⅛
FREEZING COMPARTMENT								
Frozen Storage Volume, Cubic Inches (NEMA RATING)	1146	1146	1951	1146	1495	2643	3283	3283
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No						Yes	
Type—Horizontal or Vertical	Vertical		Horizontal	Vertical		Horizontal	Horizontal	
Location—Top, Center Side, or Bottom	Side		Top	Center		Top	Top	
EQUIPMENT								
Material of Shelves	Steel Wire, Rust Resistant Finish		Steel Wire, Chrome Plated	Steel Wire, Rust Resist.	Steel Wire, Chrome Plated		Solid Stainless Steel	
Ice Trays, total number	2	2	4	4	4	4	2	2
Total Weight of Ice (Lbs.)	4	4	8	8	8	8	4	4
Refrigerated Vegetable Storage (Number)	0	1	1	1	2	2	2	2
Total Capacity in Cubic Inches	0	572	572	572	1144	1144	1740	1740
Non-Refrigerated Storage, Capacity (Cubic Inches)	0	0	0	0	1680	1680		
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	245	245	442	245	572	572		
Butter Storage								
Shelves In Door								
Automatic Defrosting								
COMPRESSOR								
Location	Bottom						Bottom	
Reciprocating or Rotary	Reciprocating						Reciprocating	
Refrigerant Used	"Freon-12"						"Freon-12"	
CONDENSER								
Type	Fin						Forced Air	Static
WEIGHT, COMPLETE REFRIGERATOR								
Net Weight (Lbs. Approx.)	230	230	240	294	306	310	307	310
Shipping Weight (Lbs. Approx.)	270	270	280	344	356	360	352	355

	RANNEY						UNIVERSAL			
Name of Manufacturer	Ranney Refrigerator Co., Greenville, Mich.						Artkraft Mfg. Co., Lima, Ohio			
Manufacturer's Model Designation	7500	7501	7502	02SS	9201	9202	UR 82 MD	UR 90 MD	UR 82 D	UR 90 D
Total Storage Volume, Net Cubic Feet (NEMA RATING)	7.5	7.4	7.065	9.257	9.154	8.455	7.5	8.2	8.3	9.0
Net Shelf Area, Square Feet (NEMA RATING)	12	11.88	14.905	15.578	15.5	17.208	12.6	16.9	12.0	15.0
CABINET										
Number of Exterior Doors	2	2	2	2	2	2	1	1	1	1
Exterior Finish	du Pont Enamel						Dulux			
Interior Finish										
Food Compartment	Enamel	Acid Resisting Porcelain					Porcelain			
Freezing Compartment	Anodized Aluminum						Porcelain			
Door	du Pont Enamel						Aluminum Methacyalate			
Over-All Height, Inches	54¼	54¼	54¼	61¾	61¾	61¾	Dulux 58¼	Colored Annodized 60½	58¼	Dulux 60½
Over-All Width, Inches	29	29	29	32	32	32	29¾	29¾	29¾	29¾
Over-All Depth, Inches (not including door handle)	25	25	25	24⅝	24⅝	24⅝	24¼	24¼	24¼	24¼
FREEZING COMPARTMENT										
Frozen Storage Volume, Cubic Inches (NEMA RATING)	1098	1098	1900	1036.8	1489.5	1535	3224	3123	1458	1432
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No						No			
Type—Horizontal or Vertical	Vertical		Horizontal		Vertical	Horizontal	Horizontal		Vertical	
Location—Top, Center Side, or Bottom	Top						Top		Top, Side	
EQUIPMENT										
Material of Shelves	Wire, Zinc Plated	Wire, Zinc Plated	Wire, Chrome Plated	Wire, Zinc Plated	Wire, Chrome Plated	Wire, Chrome Plated	Steel Wire with Copper, Nickel, Chrome plate, and lacquer finish			
Ice Trays, total number	2	2	4	4	4	4	4	4	2	4
Total Weight of Ice (Lbs.)	4	4	8	4	8	8	7	6¼	3½	6¼
Refrigerated Vegetable Storage (Number)	0	1	1	1	2	2	1	2	2	2
Total Capacity in Cubic Inches	0	632	632	632	1,264	1,264	813	1626	1626	1626
Non-Refrigerated Storage, Capacity (Cubic Inches)							1264	1264	....	1264
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	244.5	244.5	95	244.5	632	632	....	....	329	578
Butter Storage										
Shelves In Door										
Automatic Defrosting										
COMPRESSOR										
Location	Bolted on Cabinet Base						Bottom			
Reciprocating or Rotary	Reciprocating Tecumseh Hermetic						Reciprocating			
Refrigerant Used	"Freon-12"						"Freon-12"			
CONDENSER										
Type	Slanting Static Fin Type						Static			
WEIGHT, COMPLETE REFRIGERATOR										
Net Weight (Lbs. Approx.)	241	241	241	317	317	317				
Shipping Weight (Lbs. Approx.)	285	285	285	369	369	369	330	340	303	315

COLDSPOT

Name of Manufacturer ..... Sears Roebuck & Co., Chicago, Ill.

Manufacturer's Model Designation	D7M-B	D7P-B	D7D-B	D7F-B	D9P-B	D9DL-B D9D-B	D9F-B	D9GL-B D9G-B	D11F-B	D11GL-B D11G-B
Total Storage Volume, Net Cubic Feet (NEMA RATING)	7.5	7.4	7.4	7.2	9.6	9.3	8.5	8.5	10.4	10.4
Net Shelf Area, Square Feet (NEMA RATING)	13.2	13.6	14.1	14.4	15.36	16.2	15.6	15.6	20.1	20.1
CABINET										
Number of Exterior Doors	1	1	1	1	1	1	1	1	1	1
Exterior Finish	White Synthetic Enamel									
Interior Finish										
Food Compartment	White Porcelain									
Freezing Compartment	Stainless Steel									
Door	White Synthetic Enamel									
Over-All Height, Inches	57 3/8	57 3/8	57 3/8	57 3/8	61 3/8	61 3/8	61 3/8	61 3/8	66 3/8	66 3/8
Over-All Width, Inches	27 3/4	27 3/4	27 3/4	27 3/4	30 3/4	30 3/4	30 3/4	30 3/4	32 7/8	32 7/8
Over-All Depth, Inches (not including door handle)	24 5/8	24 5/8	24 5/8	24 5/8	24 5/8	24 5/8	24 5/8	24 5/8	24 5/8	24 5/8
FREEZING COMPARTMENT										
Frozen Storage Volume, Cubic Inches (NEMA RATING)	726	1140	1140	1330	1140	1330	2020	2020	2470	2470
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No									
Type—Horizontal or Vertical	Vertical						Horizontal			
Location—Top, Center Side, or Bottom	Top, Left				Top, Center		Top			
EQUIPMENT										
Material of Shelves	Hot Tinned Round Wire			CNC Round Wire	Hot Tinned Round Wire	CNC Round Wire		Stainless Ribbon Wire	CNC Round Wire	Stainless Ribbon Wire
Ice Trays, total number	2	3	2	4	3	4	2	4	2	4
Total Weight of Ice (Lbs.)	3.75	6.56	3.75	9.5	6.56	9.5	5.75	9.5	5.75	9.5
Refrigerated Vegetable Storage (Number)	0	1	1	1	1	2	2	2	2	2
Total Capacity in Cubic Inches	0	783	1476	1476	783	1566	1566	1566	1566	1566
Non-Refrigerated Storage, Capacity (Cubic Inches)										
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	141	298	298	465	298	597	325	325	325	325
Egg Basket	....	....	....	1	....	1	....	1	....	1
Water Bottle	....	....	....	1	....	1	....	1	....	1
Left-Over Dishes	....	....	....	3	....	3	....	3	....	3
COMPRESSOR										
Location	Bottom									
Reciprocating or Rotary	Rotary									
Refrigerant Used	"Freon-12"									
CONDENSER										
Type	Fin									
WEIGHT, COMPLETE REFRIGERATOR										
Net Weight (Lbs. Approx.)										
Shipping Weight (Lbs. Approx.)	259	284	279	292	315	340	323	348	374	392

	PRESTELINE		MARVEL		ACME		SANITARY
Name of Manufacturer	Leeson Steel Products, Inc., Chicago, Ill.		Marvel Industries, Inc., Sturgis, Mich.		Acme-National Refrigeration Co., Inc., Brooklyn, N. Y.		Sanitary Refrigerator Co., Fond du Lac, Wis.
Manufacturer's Model Designation	MD-9	PD-9	MR1015	MR1017	DT-88	SP-50	(Sanitary Refrigerator Co. of Fond du Lac, Wis., a producer of household electric refrigerators, reported that it could not supply specifications of refrigerator models at this time because the company was in the process of model changeover, and any data submitted would necessarily be on models which the company would probably be removing from the line.)
Total Storage Volume, Net Cubic Feet (NEMA RATING)	8.2	9.06	4.0	5.6	....	5	
Net Shelf Area, Square Feet (NEMA RATING)	18.0	15.00	6.65	9.43	....	7	
CABINET							
Number of Exterior Doors	1	1	1	1	Drawer Type	1	
Exterior Finish	Dulux, Bonderized Steel		White Baked Enamel		Baked Synthetic Enamel		
Interior Finish	Acid Resisting Porcelain		White Baked Enamel		Baked Synthetic Enamel		
Food Compartment			White Baked Enamel				
Freezing Compartment					—Aluminum—		
Door	—Moulded Panelyte—						
Over-All Height, Inches	60½	60½	40¾	44¾	36	36	
Over-All Width, Inches	29¾	29¾	23¼	25⅜	27	24	
Over-All Depth, Inches (not including door handle)	28½	26	20¼	20¼	24½	23	
FREEZING COMPARTMENT							
Frozen Storage Volume, Cu. In. (NEMA RATING)	228	....					
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	— No —						
Type—Horizontal or Vertical	Horizontal	Vertical					
Location—Top, Center Side, or Bottom	Top	Top, Side					
EQUIPMENT							
Material of Shelves	Triple Chrome Round Wire		Wire, Copper, Nickel Plated		Steel, Luster Zinc Finish		
Ice Trays, total number	4	3	3	3	2	2	
Total Weight of Ice (Lbs.)					4⅝	4	
Refrigerated Vegetable Storage (Number)	2	2					
Total Capacity in Cubic Inches							
Non-Refrigerated Storage, Capacity (Cubic Inches)							
Meat (Unfrozen) Storage, Capacity (Cubic Inches)							
Butter Storage							
Shelves In Door							
Automatic Defrosting							
COMPRESSOR							
Location			—Base of Cabinet—		—Bottom Rear—		
Reciprocating or Rotary			— Reciprocating —		— Reciprocating —		
Refrigerant Used	— "Freon-12" —		— "Freon-12" —		— "Freon-12" —		
CONDENSER							
Type			Forced Air Circulation		Forced Air	Static	
WEIGHT, COMPLETE REFRIGERATOR							
Net Weight (Lbs. Approx.)			150	180	210	160	
Shipping Weight (Lbs. Approx.)	340	315	164	197	250	180	

GENERAL

Name of Manufacturer	General Air Conditioning Corp., Los Angeles, Calif.						Firestone Tire & Rubber Co., Akron, Ohio		
Manufacturer's Model Designation	GA-1004	GA-1004-M	2E-1104*	E-1004†	R-1004‡	A-450	5-A-53	5-A-55	5-A-56
Total Storage Volume, Net Cubic Feet (NEMA RATING)	3.83	3.83	3.83	3.83	3.83	4.26	7.14	8.01	11.00
Net Shelf Area, Square Feet (NEMA RATING)	4.05	4.05	4.05	4.05	4.05	6.1	11.5	13.58	16.16
CABINET									
Number of Exterior Doors	1	1	1	1	1	1	1	1	1
Exterior Finish	Vinyl Enamel						White Baked Enamel		
Interior Finish						Vinyl Enamel			
Food Compartment							Porcelain Enamel		
Freezing Compartment	Aluminum						Galvanized Steel		
Door	Vinyl Enamel						Baked Enamel		
Over-All Height, Inches	39	39	39	39	39	44	58⅛	62	62
Over-All Width, Inches	27½	27½	27½	27½	27½	23	24½	31	31
Over-All Depth, Inches (not including door handle)	21	21	21	21	21	19	27	27	29
FREEZING COMPARTMENT									
Frozen Storage Volume, Cubic Inches (NEMA RATING)	468	468	468	468	468	468	1020	1598	1890
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No						No		
Type—Horizontal or Vertical	Vertical						Vertical	Horizontal	
Location—Top, Center Side, or Bottom	Top, Center					Top, Right	Top		
EQUIPMENT									
Material of Shelves	Zinc-Chrome Plate						Wire, Anozinc Finish	Wire, Chrome Plated	
Ice Trays, total number	2	2	2	2	2	2	2	2	2
Total Weight of Ice (Lbs.)	3.3	3.3	3.3	3.3	3.3	3.3	4	4	4
Refrigerated Vegetable Storage (Number)									
Total Capacity in Cubic Inches									
Non-Refrigerated Storage, Capacity (Cubic Inches)	976	976	976	976	976	783			
Meat (Unfrozen) Storage, Capacity (Cubic Inches)							360	847	847
Butter Storage									
Shelves In Door							No		Yes
Automatic Defrosting									
COMPRESSOR									
Location	Rear Base						Bottom Rear	Bottom	Bottom Rear
Reciprocating or Rotary	Reciprocating						Reciprocating		
Refrigerant Used	"Freon-12"						"Freon-12"		
CONDENSER									
Type	Fin-Static						Plate		
WEIGHT, COMPLETE REFRIGERATOR									
Net Weight (Lbs. Approx.)	139	139	158	158	172	148	290	340	372
Shipping Weight (Lbs. Approx.)	165	165	184	184	196	171	300	356	396

*With 2-burner, 115-volt electric range on top.
†With 3-burner, 220-volt electric range on top.
‡With 4-burner gas stove on top.

‡With 4-burner gas stove on top.

MONTGOMERY WARD

Name of Manufacturer						
Manufacturer's Model Designation	710	720	760	770	950	970
Total Storage Volume, Net Cubic Feet (NEMA RATING)	7.0	7.4	7.1	7.1	9.3	8.9
Net Shelf Area, Square Feet (NEMA RATING)	14.6	13.8	16.4	16.5	16.2	18.5
CABINET						
Number of Exterior Doors	1	1	1	1	1	1
Exterior Finish	Dulux					
Interior Finish						
Food Compartment	Porcelain					
Freezing Compartment	Steel	Aluminum	Brass Alloy		Aluminum	Brass A.
Door	Panelyte					
Over-All Height, Inches	55	57	57	57	61½	61½
Over-All Width, Inches	24½	30⅜	30⅜	30⅜	31⅞	31⅞
Over-All Depth, Inches (not including door handle)	24¾	25¼	25¼	25¼	26¾	26¾
FREEZING COMPARTMENT						
Frozen Storage Volume, Cubic Feet (NEMA RATING)	.63	.534	1.004	1.004	.75	1.39
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No					
Type—Horizontal or Vertical	Vertical		Horizontal		Vertical	Horizontal
Location—Top, Center Side, or Bottom	Top Left	Top Center	Top	Top	Top Center	Top
EQUIPMENT						
Material of Shelves	Zinc Coated Steel			Chrome Plated Steel	Zinc Coated Steel	Chrome Plated Steel
Ice Trays, total number	2	4	4	4	4	4
Total Weight of Ice (Lbs.)						
Refrigerated Vegetable Storage (Number)	....	1	1	2	2	2
Total Capacity in Cubic Inches	....	610	640	1,100	1,280	1,280
Non-Refrigerated Storage, Capacity (Cubic Inches)						
Meat (Unfrozen) Storage, Capacity (Cubic Inches)	.185	.185	.486	.486	.265	.675
Butter Storage						
Shelves In Door						
Automatic Defrosting						
COMPRESSOR						
Location	Base					
Reciprocating or Rotary	Reciprocating		Rotary		Recip.	Rotary
Refrigerant Used	"Freon-12"					
CONDENSER						
Type	Finned					
WEIGHT, COMPLETE REFRIGERATOR						
Net Weight (Lbs. Approx.)						
Shipping Weight (Lbs. Approx.)	265	276	282	288	326	340

WIZARD

	Spacette 2J1041	Special 2J1042	Super 2J1043	Deluxe 2J1044
Manufacturer's Model Designation				
Total Storage Volume, Net Cubic Feet (NEMA RATING)	7.14	8.5	8.02	8.02
Net Shelf Area, Square Feet (NEMA RATING)	13.6	13.0	15.2	15.9
CABINET				
Number of Exterior Doors	1	1	1	1
Exterior Finish	du Pont High-Bake Dulux			
Interior Finish	du Pont Mar-Resistant Dulux 711-5001			
Food Compartment	711-5001 Dulux			
Freezing Compartment	Aluminum			
Door	du Pont Dulux			
Over-All Height, Inches	58½	58	58	58
Over-All Width, Inches	24½	30¾	30¾	30¾
Over-All Depth, Inches (not including door handle)	28¼	26½	26½	26½
FREEZING COMPARTMENT				
Frozen Storage Volume, Cubic Feet (NEMA RATING)	.59	.85	1.20	1.20
Separate Compartment, Fully Insulated from Food Storage Compartment (YES or NO)	No			
Type—Horizontal or Vertical	Vertical		Horizontal	
Location—Top, Center Side, or Bottom	Top, Right	Top, Left	Top	Top
EQUIPMENT				
Material of Shelves	Zinc Plated Steel			Chrome Plated Steel
Ice Trays, total number	2	4	4	4
Total Weight of Ice (Lbs.)	4	8½	8½	8½
Refrigerated Vegetable Storage (Number)	....	1	1	3
Total Capacity in Cubic Inches				
Non-Refrigerated Storage, Capacity (Cubic Inches)				
Meat (Unfrozen) Storage, Capacity (Cubic Inches)				
Butter Storage	Optional with Separate Accessory Unit			
Shelves In Door				
Automatic Defrosting				
COMPRESSOR				
Location	Bottom			
Reciprocating or Rotary	Reciprocating			
Refrigerant Used	"Freon-12"			
CONDENSER				
Type	Flue-plate	Finned		
WEIGHT, COMPLETE REFRIGERATOR				
Net Weight (Lbs. Approx.)	221	262	267	272
Shipping Weight (Lbs. Approx.)	270	311	316	321

AIR CONDITIONING & REFRIGERATION News

THE NEWSPAPER OF THE INDUSTRY

Published every Monday in Detroit, Mich.

SUBSCRIPTION RATES: U. S. and Possessions, Canada, and all countries in the Pan-American Postal Union, $5.00 per year. All other foreign countries, $7.00 per year. Send remittance with order.

AIR CONDITIONING & REFRIGERATION NEWS is published weekly, 52 issues a year. Through twenty-two years of continuous, successful existence the NEWS remains the leading publication in the industry. Readers look to the NEWS first for reliable, up-to-the-minute news; clear, independent reports concerning their own business field; and what their competitors are doing.

WHO READS THE *NEWS*?

"Name a leader and you name a reader." Major appliance dealers and distributors, commercial refrigeration dealers, air conditioning contractors and dealers, engineers and service operators, and manufacturers . . . all are readers of the NEWS. And they do about 90% of the industry's business. They are the successful men in the business. Join this group of winners. Order your subscription today. 1 year, 52 issues, $5.00.

- ★ *Carries more service information and helpful hints than any other publication in the Industry.*
- ★ *The NEWS points the way to greater success in appliance merchandising.*
- ★ *"The Newspaper of the Industry" . . . keeps you up-to-date and ahead of competition.*
- ★ *Tops in usefulness for contractors, commercial dealers, servicemen, appliance dealers, distributors, and manufacturers.*

HOW TO SELL YOUR SALESMEN *ON SELLING . . .*



IT'S A GREAT LIFE

By George F. Taubeneck

Human, entertaining look at specialty selling from the salesman's point of view. From years of personal experience and close friendship with top-rung salesmen, Taubeneck's new book draws a wealth of clever how-to-do-it case histories. Above all, it *sells salesmen on selling*—as a career and as work that's fun. **$2.50**

ONE FOOT IN THE DOOR

By George F. Taubeneck

The first humorous book on merchandising. You will laugh—learn—profit while you relax with this popular book for businessmen. 400 entertaining, laugh-provoking pages. Immensely enjoyable, as thousands of readers will testify. A best-selling book..... **$3.00**

THE MARSHAL'S BATON

By George F. Taubeneck

Here is another important book by George F. Taubeneck—an "advanced course" in sales management as a follow-up to his immensely popular *One Foot in the Door*. The distilled wisdom of 29 of America's top sales-minded executives. Received enthusiastically by industrial executives everywhere—a valuable addition to every businessman's library. 600 big pages **$5.00**

ORDER FORM

Mail to:

BUSINESS NEWS PUBLISHING CO.
450 W. FORT ST., DETROIT 26, MICH.

☐ Send ..... extra copies of 1950 Refrigerator Specifications.

1— 9 copies—50¢ each.
10—49 copies—35¢ each.
50 or more copies—20¢ each.

☐ Enter subscription for 1 year (52 issues) to AIR CONDITIONING & REFRIGERATION NEWS, $5.00.

☐ *It's a Great Life, $2.50.*

☐ *One Foot in the Door, $3.00.*

☐ *Marshal's Baton, $5.00.*

Check enclosed for $..... ☐ Bill me.

NAME .....

ADDRESS .....

CITY..... ZONE..... STATE.....